



Fisher Scientific

Part of Thermo Fisher Scientific

Material Safety Data Sheet

Creation Date 05-May-2009

Revision Date 30-Jul-2010

Revision Number 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	Acetic acid
Cat No.	A35-500; A38-212; A38-450LB; A38-500; A38-500LC; A38C-212; A38P-20; A38P-500; A38S-212; A38S-500; A38SI-212; A465-1; A465-250; A465-500; A490-212; A491-212; BP1185-500; BP1185-500LC; BP2400-500; BP2401-212; BP2401-500; BP2401C-212; BP2401P-20; BP2401S-212; BP2401S-500; BP2401SI-212; S700481
Synonyms	Glacial acetic acid; Methanecarboxylic acid; Ethanoic acid; Vinegar acid (HPLC/Certified ACS/OPTIMA/USP/FCC/EP/BP/Trace Metal Grade/Aldehyde-Free/Sequencing)
Recommended Use	Laboratory chemicals
Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. HAZARDS IDENTIFICATION

DANGER!

Emergency Overview

Flammable liquid and vapor. Causes severe burns by all exposure routes.

Appearance Colorless

Physical State Liquid

odor vinegar-like

Target Organs

Eyes, Respiratory system, Skin, Teeth, Gastrointestinal tract (GI), Liver, Kidney, Blood

Potential Health Effects

Acute Effects

Principle Routes of Exposure

Eyes

Causes severe burns. May cause blindness or permanent eye damage.

Skin

Causes severe burns. May be harmful in contact with skin.

Inhalation

Causes severe burns. May be harmful if inhaled.

Ingestion

Causes severe burns. May be harmful if swallowed.

Chronic Effects

Experiments have shown reproductive toxicity effects on laboratory animals. May cause adverse liver effects. May cause adverse kidney effects. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen.

See Section 11 for additional Toxicological information.

Aggravated Medical Conditions

Preexisting eye disorders. Skin disorders. Gastrointestinal tract.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Haz/Non-haz**

Component	CAS-No	Weight %
Acetic acid	64-19-7	>95

4. FIRST AID MEASURES**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation

Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Immediate medical attention is required.

Ingestion

Do not induce vomiting. Call a physician or Poison Control Center immediately.

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Flash Point**

40°C / 104°F

Method

No information available.

Autoignition Temperature

427°C / 800.6°F

Explosion Limits**Upper**

19.9 vol %

Lower

4.0 vol %

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media

No information available.

Hazardous Combustion Products

No information available.

Sensitivity to mechanical impact

No information available.

Sensitivity to static discharge

No information available.

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Causes severe burns by all exposure routes. Contact with metals may evolve flammable hydrogen gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA**Health 3****Flammability 2****Instability 0****Physical hazards N/A****6. ACCIDENTAL RELEASE MEASURES****Personal Precautions**

Remove all sources of ignition. Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing.

Environmental Precautions

Should not be released into the environment.

Methods for Containment and Clean Up

Remove all sources of ignition. Soak up with inert absorbent material. Use spark-proof tools and explosion-proof equipment. Keep in suitable and closed containers for disposal.

7. HANDLING AND STORAGE**Handling**

Use only under a chemical fume hood. Use explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Flammables area.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Engineering Measures**

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetic acid	TWA: 10 ppm STEL: 15 ppm	(Vacated) TWA: 10 ppm (Vacated) TWA: 25 mg/m ³ TWA: 25 mg/m ³ TWA: 10 ppm	IDLH: 50 ppm TWA: 25 mg/m ³ TWA: 10 ppm STEL: 15 ppm STEL: 37 mg/m ³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Acetic acid	TWA: 10 ppm TWA: 25 mg/m ³ STEL: 37 mg/m ³ STEL: 15 ppm	TWA: 10 ppm TWA: 25 mg/m ³ STEL: 37 mg/m ³ STEL: 15 ppm	TWA: 10 ppm TWA: 25 mg/m ³ STEL: 37 mg/m ³ STEL: 15 ppm

NIOSH IDLH: Immediately Dangerous to Life or Health

Personal Protective Equipment

Eye/face Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Colorless
odor	vinegar-like
Odor Threshold	No information available.
pH	< 2.5 10 g/L aq.sol.
Vapor Pressure	1.52 kPa @ 20 °C
Vapor Density	2.10 (Air = 1.0)
Viscosity	1.53 mPa.s @ 25 °C
Boiling Point/Range	117 - 118°C / 242.6 - 244.4°F
Melting Point/Range	16 - 16.5°C / 60.8 - 61.7°F
Decomposition temperature	No information available.
Flash Point	40°C / 104°F
Evaporation Rate	(Butyl Acetate = 1.0)
Specific Gravity	1.048
Solubility	Soluble in water
log Pow	No data available
Molecular Weight	60.05
Molecular Formula	C2 H4 O2

10. STABILITY AND REACTIVITY

Stability	Hygroscopic.
Conditions to Avoid	Incompatible products. Heat, flames and sparks. Exposure to moist air or water.
Incompatible Materials	Strong oxidizing agents, Strong bases, Metals
Hazardous Decomposition Products	Carbon monoxide (CO), Carbon dioxide (CO ₂)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions .	None under normal processing.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetic acid	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h

Irritation Causes severe burns by all exposure routes

Toxicologically Synergistic Products No information available.

Chronic Toxicity

Carcinogenicity There are no known carcinogenic chemicals in this product

Sensitization No information available.

Mutagenic Effects Not mutagenic in AMES Test

Reproductive Effects Experiments have shown reproductive toxicity effects on laboratory animals.

Developmental Effects No information available.

Teratogenicity No information available.

Other Adverse Effects See actual entry in RTECS for complete information.

Endocrine Disruptor Information No information available

12. ECOLOGICAL INFORMATION**Ecotoxicity**

.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Acetic acid	Not listed	Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h	Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 min	EC50 = 95 mg/L/24h

Persistence and Degradability Expected to be biodegradable.

Bioaccumulation/ Accumulation No information available

Mobility .

Component	log Pow
Acetic acid	0

13. DISPOSAL CONSIDERATIONS**Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. TRANSPORT INFORMATION**DOT**

UN-No	UN2789
Proper Shipping Name	Acetic acid, glacial
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II

TDG

UN-No	UN2789
Proper Shipping Name	ACETIC ACID, GLACIAL
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II

IATA

UN-No	UN2789
Proper Shipping Name	ACETIC ACID, GLACIAL
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II

IMDG/IMO

UN-No	UN2789
Proper Shipping Name	ACETIC ACID, GLACIAL
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II

15. REGULATORY INFORMATION**International Inventories**

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL
-----------	------	-----	------	--------	--------	-----	-------	------	------	-------	------

15. REGULATORY INFORMATION

Acetic acid	X	X	-	200-580-7	-		X	X	X	X	KE-00013 X
-------------	---	---	---	-----------	---	--	---	---	---	---	---------------

Legend:**X** - Listed**E** - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.**F** - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.**N** - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.**P** - Indicates a commenced PMN substance**R** - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.**S** - Indicates a substance that is identified in a proposed or final Significant New Use Rule**T** - Indicates a substance that is the subject of a Section 4 test rule under TSCA.**XU** - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).**Y1** - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.**Y2** - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.**U.S. Federal Regulations****TSCA 12(b)** Not applicable**SARA 313**

Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Acetic acid	X	5000 lb	-	-

Clean Air Act

Not applicable

OSHA

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Acetic acid	5000 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals.

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acetic acid	X	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y

DOT Marine Pollutant N

DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Moderate risk, Grade 2

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

B3 Combustible liquid

E Corrosive material

**16. OTHER INFORMATION**

Prepared By Regulatory Affairs
Thermo Fisher Scientific
Tel: (412) 490-8929

Creation Date 05-May-2009

Print Date 30-Jul-2010

Revision Summary "****", and red text indicates revision

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS